

Central Queensland Coast pasture photo standards

There are seven pasture photo standards and corresponding pasture yields for pasture communities in the Central Queensland Coast region. These include:

- Alluvial
- Basalt
- Black speargrass
- Eucalypt woodlands
- Indian couch
- Narrow-leaved ironbark
- Silver-leaved ironbark.



Alluvial

450 kg/ha



700 kg/ha



950 kg/ha



Queensland
Government



Alluvial

1940 kg/ha



2560 kg/ha



4250 kg/ha



**Queensland
Government**

Basalt

300 kg/ha



800 kg/ha



1400 kg/ha



Queensland
Government



Basalt

2000 kg/ha



3000 kg/ha



4000 kg/ha

Black speargrass

250 kg/ha



680 kg/ha



1480 kg/ha



Queensland
Government



Black speargrass

2450 kg/ha



2750 kg/ha



4700 kg/ha



Queensland
Government

Eucalypt woodlands

500 kg/ha




850 kg/ha



1200 kg/ha



Queensland
Government



Eucalypt woodlands

1800 kg/ha



2500 kg/ha



3600 kg/ha



Queensland
Government

Indian couch

170 kg/ha



650 kg/ha



1360 kg/ha



Queensland
Government



Indian couch

2450 kg/ha




3500 kg/ha




5750 kg/ha

Narrow leaved ironbark


310 kg/ha



720 kg/ha



1200 kg/ha





Narrow leaved ironbark

1750 kg/ha



2250 kg/ha



5000 kg/ha

Silver leaved ironbark

250 kg/ha



750 kg/ha



950 kg/ha





Silver leaved ironbark

2040 kg/ha



3300 kg/ha



4600 kg/ha



Queensland
Government