

## Inland Burnett Region Plant Index

Common name	Scientific name	Page
Angleton grass*	<i>Dichanthium aristatum</i> cv. Floren	IB02, IB05, IB07, IB08, IB12
Bambatsi panic*	<i>Panicum coloratum</i>	IB05, IB08
bamboo speargrass (slender, stout)	<i>Austrostipa verticillata</i> , <i>A. ramosissima</i>	IB02, IB12
barbwire grass	<i>Cymbopogon refractus</i>	IB03, IB05, IB09, IB10, IB11, IB14, IB15, IB16, IB17, IB19
beefwood	<i>Grevillea striata</i>	IB03, IB09, IB15, IB17
belah	<i>Casuarina cristata</i>	IB07, IB08
Birdsville indigo	<i>Indigastrum linnaei</i>	IB17
black speargrass	<i>Heteropogon contortus</i>	IB01, IB02, IB03, IB04, IB05, IB06, IB09, IB10, IB11, IB12, IB13, IB14, IB15, IB16, IB17, IB19, IB20
black tea tree	<i>Melaleuca bracteata</i>	IB08
blackbutt	<i>Eucalyptus pilularis</i>	IB18
bloodwood	<i>Corymbia</i> sp.	IB11, IB15, IB18, IB19, IB20
blue heliotrope*	<i>Heliotropium amplexicaule</i>	IB03, IB15
bottletree	<i>Brachychiton rupestris</i>	IB01, IB18
bottlewasher grasses	<i>Enneapogon</i> spp.	IB03, IB06, IB09, IB14, IB15
brigalow	<i>Acacia harpophylla</i>	IB07, IB08
brigalow grass	<i>Paspalidium caespitosum</i>	IB07, IB08
broad-leaved apple	<i>Angophora subvelutina</i>	IB02, IB05, IB13
broad-leaved ironbark	<i>Eucalyptus fibrosa</i>	IB02
broad-leaved pepper tree*	<i>Schinus terebinthifolius</i>	IB02, IB04
brush box	<i>Lophostemon confertus</i>	IB01
buffel grass*	<i>Cenchrus ciliaris</i>	IB07, IB08, IB12, IB18
Burdekin plum	<i>Pleiogynium timorense</i>	IB01
butterfly pea*	<i>Clitoria ternatea</i>	IB02, IB05, IB07
Caatinga stylo*	<i>Stylosanthes seabrana</i>	IB02, IB05, IB07, IB08, IB10, IB12, IB16, IB18, IB20

<b>Common name</b>	<b>Scientific name</b>	<b>Page</b>
cat's claw creeper*	<i>Macfadyena unguis-cati</i>	IB02, IB04
Chinese elm*	<i>Celtis sinensis</i>	IB02, IB04
comet grass	<i>Perotis rara</i>	IB03, IB19
creeping bluegrass*	<i>Bothriochloa insculpta</i>	IB01, IB02, IB03, IB04, IB05, IB06, IB07, IB08, IB10, IB11, IB12, IB13, IB16, IB17, IB20
creeping lantana*	<i>Lantana montevidensis</i>	IB10
creeping tick trefoil	<i>Desmodium triflorum</i>	IB02, IB06, IB09, IB10, IB11, IB12
crow's ash	<i>Flindersia australis</i>	IB01, IB18
currant bush	<i>Carissa ovata</i>	IB05, IB06, IB19
cycad	Cycadaceae, Zamiaceae	IB11
dark wiregrass	<i>Aristida calycina</i>	IB01, IB02, IB04, IB05, IB06, IB07, IB08, IB09, IB10, IB12, IB13, IB14, IB16, IB17, IB19, IB20
Desmanthus*	<i>Desmanthus virgatus</i>	IB02, IB05, IB07, IB08, IB10, IB12, IB16
digit grass	<i>Digitaria eriantha</i> spp. <i>eriantha</i> cv. Premier	IB01, IB04, IB18, IB20
dogwood	<i>Jacksonia scoparia</i>	IB13, IB18
emu foot	<i>Psoralea tenax</i>	IB03, IB06, IB09, IB10, IB11, IB14
erect kerosene grass	<i>Aristida holathera</i>	IB10, IB11, IB14, IB19
false sandalwood	<i>Eremophila mitchellii</i>	IB05, IB06
feathertop Rhodes grass*	<i>Chloris virgata</i>	IB17
figs	<i>Ficus</i> spp.	IB01, IB18
fine stem stylo/s	<i>Stylosanthes hippocampoides</i> formerly <i>Stylosanthes guianensis</i> var. <i>intermedia</i>	IB03, IB14, IB17
five-minute grass	<i>Tripogon loliiformis</i>	IB19
forest bluegrass	<i>Bothriochloa ewartiana</i>	IB02, IB05, IB06, IB09, IB10, IB11, IB12, IB16
glycine pea	<i>Glycine tabacina</i>	IB01, IB02, IB03, IB04, IB05, IB07, IB12, IB13, IB14, IB15, IB16, IB17, IB18, IB19, IB20
golden beard grass	<i>Chrysopogon fallax</i>	IB03, IB14, IB17
Gatton panic*	<i>Panicum maximum</i>	IB01, IB07, IB10, IB18

<b>Common name</b>	<b>Scientific name</b>	<b>Page</b>
green panic*	<i>Panicum maximum</i> var. <i>trichoglume</i>	IB01, IB04, IB07, IB08, IB12, IB18, IB20
grevillea	<i>Grevillea</i> sp.	IB19
grey gum	<i>Eucalyptus biturbinata</i> (formerly <i>E. punctata</i> )	IB01, IB18, IB20
gum-topped bloodwood see variable-barked bloodwood		
gum-topped box	<i>Eucalyptus moluccana</i>	IB01, IB05, IB06, IB09, IB13, IB19
Gympie messmate	<i>Eucalyptus cloeziana</i>	IB18, IB20
hairy panic	<i>Panicum effusum</i>	IB02, IB12, IB14, IB16
hooky grass	<i>Ancistrachne uncinulata</i>	IB01, IB04, IB07, IB13, IB20
hoop pine	<i>Araucaria cunninghamii</i>	IB01
Indian couch*	<i>Bothriochloa pertusa</i>	IB10, IB11
ironbark	<i>Eucalyptus</i> spp.	IB01, IB03, IB09, IB02, IB04, IB11, IB13, IB14, IB15, IB16, IB17, IB19, IB20
kangaroo grass	<i>Themeda triandra</i>	IB01, IB04, IB09, IB13, IB15, IB19, IB20
lantana*	<i>Lantana camara</i>	IB18, IB20
lantern bush*	<i>Abutilon grandifolium</i>	IB15, IB19
leafy panic	<i>Urochloa foliosa</i> syn. <i>Brachiaria foliosa</i>	IB01, IB04, IB07, IB13, IB20
leucaena*	<i>Leucaena leucocephala</i>	IB01, IB02, IB05, IB07, IB16, IB18, IB20
liverseed grass	<i>Urochloa panicoides</i>	IB02, IB12
many-headed wiregrass	<i>Aristida caput-medusae</i>	IB15, IB17
Moreton Bay ash	<i>Corymbia tessellaris</i>	IB02, IB04, IB12
mountain coolibah	<i>Eucalyptus orgadophila</i>	IB12
myrtle tree	<i>Canthium oleifolium</i>	IB09
narrow-leaved indigo	<i>Indigastrium parviflorum</i> (formerly <i>Indigofera parviflorum</i> )	IB15
narrow-leaved ironbark	<i>Eucalyptus crebra</i>	IB01, IB03, IB04, IB06, IB09, IB10, IB11, IB12, IB13, IB14, IB15, IB16, IB17, IB18, IB19, IB20
native millet	<i>Panicum decompositum</i>	IB03, IB08, IB16

<b>Common name</b>	<b>Scientific name</b>	<b>Page</b>
native oatgrass	<i>Themeda avenacea</i>	IB15, IB19
niggerheads	<i>Enneapogon nigricans</i>	IB14
paspalum*	<i>Paspalum dilatatum</i>	IB05, IB10, IB16, IB11
pink bloodwood	<i>Corymbia intermedia</i>	IB13
pitted bluegrass	<i>Bothriochloa decipiens</i>	IB03, IB05, IB06, IB09, IB10, IB11, IB14, IB15, IB17, IB19
poplar box	<i>Eucalyptus populnea</i>	IB05, IB06, IB09
purple lovegrass	<i>Eragrostis lacunaria</i>	IB01, IB04, IB07, IB13, IB20
Queensland blue gum	<i>Eucalyptus tereticornis</i>	IB01, IB02, IB03, IB04, IB09, IB10, IB12, IB13, IB14, IB16, IB17, IB18
Queensland bluegrass	<i>Dichanthium sericeum</i>	IB01, IB02, IB04, IB05, IB06, IB07, IB08, IB10, IB11, IB12, IB13, IB16, IB20
quinine berry*	<i>Petalostigma pubescens</i>	IB14
rattlepod	<i>Crotalaria</i> spp.	IB17, IB19
red ash	<i>Alphitonia excelsa</i>	IB18, IB19, IB20
red bloodwood see variable-barked bloodwood		
red Natal grass*	<i>Melinis repens</i>	IB03, IB14, IB17
reedgrass	<i>Arundinella nepalensis</i>	IB01, IB04, IB13, IB14, IB17, IB20
Rhodes grass*	<i>Chloris gayana</i>	IB01, IB02, IB04, IB05, IB06, IB07, IB08, IB10, IB11, IB12, IB13, IB16, IB18, IB20
rhynchosia	<i>Rhynchosia minima</i>	IB02, IB05, IB06, IB08, IB10, IB12, IB16
rosewood	<i>Acacia rhodoxylon</i>	IB15
rough-barked apple	<i>Angophora floribunda</i>	IB02, IB04
rusty gum see smooth-barked apple		
scentedtop	<i>Capillipedium parviflorum</i> , <i>C. spicigerum</i> *	IB02, IB05, IB06, IB10, IB11, IB12, IB16
she-oak	<i>Casuarina</i> sp.	IB18
shrubby stylo*	<i>Stylosanthes scabra</i> cvv. Seca, Siran	IB01, IB03, IB04, IB06, IB11, IB13, IB14, IB15, IB17, IB18, IB20
silky browntop	<i>Eulalia aurea</i>	IB08

<b>Common name</b>	<b>Scientific name</b>	<b>Page</b>
silky umbrella grass	<i>Digitaria ammophila</i>	IB03, IB06, IB14, IB17
silkyheads	<i>Cymbopogon obtectus</i>	IB10, IB11, IB19
silver-leaved ironbark	<i>Eucalyptus melanophloia</i>	IB02, IB03, IB04, IB10, IB12, IB13, IB14, IB15, IB16, IB17, IB18
siratro*	<i>Macroptilium atropurpureum</i>	IB07, IB18
slender chloris	<i>Chloris divaricata</i>	IB01, IB02, IB03, IB04, IB06, IB07, IB08, IB09, IB10, IB11, IB12, IB13, IB16, IB20
slender rat's tail grass	<i>Sporobolus creber</i>	IB01, IB04, IB07, IB13, IB20
small burr grass	<i>Tragus australianus</i>	IB02, IB05, IB06, IB09, IB12, IB16
smooth-barked apple	<i>Angophora leiocarpa</i>	IB06, IB09, IB13, IB18, IB19
spider grass (native couch)	<i>Brachyachne convergens</i>	IB06, IB09
spotted gum	<i>Eucalyptus citriodora</i> subsp. <i>variegata</i>	IB01, IB11, IB13, IB15, IB18, IB19, IB20
spring grass	<i>Eriochloa crebra</i>	IB02, IB08, IB12
swamp mahogany	<i>Lophostemon suaveolens</i>	IB01
tall chloris	<i>Chloris ventricosa</i>	IB08
tall finger grass*	<i>Digitaria millianjiana</i> cvv. Strickland, Jarra, Arnhem	IB01, IB04, IB18, IB20
tallowwood	<i>Eucalyptus microcorys</i>	IB18, IB20
umbrella canegrass	<i>Leptochloa digitata</i>	IB08
umbrella grass	<i>Digitaria divaricatissima</i>	IB02, IB09, IB12
variable-barked bloodwood	<i>Corymbia erythrophloia</i>	IB10, IB12, IB16
wattle	<i>Acacia</i> spp.	IB01, IB02, IB03, IB04, IB06, IB07, IB09, IB11, IB13, IB14, IB15, IB16, IB17, IB18, IB19, IB20
white cedar	<i>Melia azedarach</i>	IB01, IB18
white speargrass	<i>Aristida leptopoda</i>	IB15
whitewood	<i>Atalaya hemiglauca</i>	IB11, IB15
wilga	<i>Geijera parviflora</i>	IB06, IB07
wiregrass/es	<i>Aristida</i> spp.	IB01, IB02, IB04, IB05, IB06, IB08, IB09, IB12, IB13, IB14, IB18, IB19, IB20

<b>Common name</b>	<b>Scientific name</b>	<b>Page</b>
woodland lovegrass	<i>Eragrostis sororia</i>	IB10, IB11, IB14
woolly glycine	<i>Glycine tomentella</i>	IB01, IB02, IB04, IB05, IB06, IB07, IB08, IB09, IB10, IB11, IB12, IB13, IB14, IB16, IB18, IB20
Wynn cassia*	<i>Chamaecrista rotundifolia</i> cv. Wynn	IB03, IB04, IB14, IB17, IB18, IB20
Yarraman ironbark	<i>Eucalyptus melanoleuca</i>	IB01, IB18, IB20

\* Denotes non-native species